











REV	DATE	REVISION	BY
-	5-17-11	NEW DRAWING [30454-B]	DJV
A	6-27-11	NUMBER OF DECIMAL PLACES CORRECTED ON ALL DIM'S [91901]	KJB
B	2-13-12	SEE SHEETS 1, 3 & 4 [CT05336]	CEK
C	5-17-12	(A, B-7) DIMS 508 AND 1280 ADDED [CT13281]	SAW



SECTION B-B
EXHAUST OUTLETS (2-PLACES)
SCALE 0.5X



DETAIL C
OPTIONAL FLEX.
EXH. FLANGE
(2-PLACES)



METRIC CAD FILE

NOTE: DIMENSIONS IN [] ARE INCH EQUIVALENTS.

900/1000 MODEL 50/60 HZ
5M4036, 5M4038, 5M4168, 5M4280, 5M4044
7M4046, 7M4170, 7M4282, 7M4284
RECONNECTABLE, 380V, 600V ALTERNATORS
40C COOLING SYSTEM
16V SERIES 2000 TIER II

UNLESS OTHERWISE SPECIFIED - 1) DIMENSIONS ARE IN MILLIMETERS 2) TOLERANCES ARE: FRACTIONS DECIMALS SURFACE FINISH XX:XX ± .XX .XX ± .XX .XX ± .XX FRACTIONS DECIMALS SURFACE FINISH XX:XX ± .XX .XX ± .XX .XX ± .XX		KOHLEH CO. POWER SYSTEMS, KOHLEH, WI 53044 U.S.A. THIS DRAWING IS THE PROPERTY OF KOHLEH CO. AND SHALL NOT BE USED EXCEPT IN CONNECTION WITH KOHLEH CO. WORK. ALL RIGHTS OF DESIGN OR INVENTION ARE RESERVED.	
APPROVALS DESIGNER DJV CHECKER WJD DATE 5-17-11 DATE 5-17-11		DATE 5-17-11 DATE 5-17-11 DATE 5-17-11 DATE 5-17-11	
DIMENSION PRINT 900/1000REOZDE		ADV-8211 D	

