







REV	DATE	ON COMPOSITE DWGS. SEE PART NO. FOR REVISION LEVEL	BY	UNLESS OTHERWISE SPECIFIED - 1) DIMENSIONS ARE IN MILLIMETERS 2) TOLERANCES ARE:	BY	UNLESS OTHERWISE SPECIFIED - 1) DIMENSIONS ARE IN MILLIMETERS 2) TOLERANCES ARE:
-	5-29-14	NEW DRAWING [CT82907]	KNN	X.XX ± 0.25	KNN	X.XX ± 0.25
A	2-17-15	SEE SHEET 1 [CT106785]	KNN	X.X ± 1.0	KNN	X.X ± 1.0
				ANGLES ± 0° 30'		ANGLES ± 0° 30'
				SURFACE FINISH MAX.		SURFACE FINISH MAX.
				THIRD ANGLE PROJECTION		THIRD ANGLE PROJECTION
				APPROVALS		APPROVALS
				DATE		DATE
				DRAWN		DRAWN
				CHECKED		CHECKED
				APPROVED		APPROVED



TITLE		KOHLER CO. METRIC PRO-E	
POWER SYSTEMS, KOHLER, WI 53044 U.S.A.			
THIS DRAWING IN DESIGN AND DETAIL IS KOHLER CO. PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH KOHLER CO. WORK. ALL RIGHTS OF DESIGN OR INVENTION ARE RESERVED.			
SCALE 0.18 CAD NO. SHEET 2 of 3			
ADV-8676			




RADIATOR DUCT FLANGE



BATTERY CHARGER




FLEXIBLE EXHAUST



STANDBY
60HZ 4D5.6/4D8.3
RECON. & 600V ALTERNATORS
30KW KOHLER DIESEL

BLOCK HEATER
90-135V AC
POWER CORD
LENGTH 72"



BLOCK HEATER

REV		DATE	ON COMPOSITE DWGS. SEE PART NO. FOR REVISION LEVEL	BY	UNLESS OTHERWISE SPECIFIED - 1) DIMENSIONS ARE IN MILLIMETERS 2) TOLERANCES ARE:		SURFACE FINISH MAX.		THIRD ANGLE PROJECTION		APPROVALS		DATE	TITLE	
-		5-30-14	NEW DRAWING [CT82907]	KNN	X.XX ± 0.25						DRAWN	KNN	05.30.14	DIMENSION PRINT, 30KW LOMBARDINI	
A		2-17-15	SEE SHEET 1 [CT106785]	KNN	X.X ± 1.0						CHECKED	CEK	05.30.14	SCALE 0.18 CAD NO.	
					ANGLES ± 0° 30'						APPROVED	BMK	05.30.14	DWG NO. ADV-8676	
														SHEET 3 of 3	